









بعد از انتخاب ليست جديد نامي به دلخواه انتخاب كنيد (جهت تغيير اعداد به حروف كليد # فشار دهيد). «طبق عكس ۳،۴»

3

Menu	09:20	
1. New List		
2. View Lis	t	
3. List Del	ete	
4. Attribut	e Sett	ing
5. Switch		
6.Generate	Txt	

Default for NewList Esc



جهت تعریف ۵ ویژگی،از لیست منو بازشده گزینه ۴ Attribute Setting انتخاب کنید.«طبق عکس ۵،۶»

5





برای مثال: «طبق عکس۸،۷» اینتر کنید.



برای مثال:«طبق عکس ۹»» بارکد را با اسکنربارکد میخوانیم و ویژگی های تعریف شده را به صورت دستی و یا بارکد خوان وارد می کنیم این ویژگی ها می تواند هم عدد اعشاری باشد و یا کاراکتر باشد.

Oollection 12:23	
Barcode: GSC0841389	
QT:50	
COLOUR: BLACK	
Esc A ABC VEnter	

	X5 Im/Export_Tool_E	ENU_V2.3.395_20131118	_ 🗆 🗙
Device: D:14800(MB)	✓ Enumerate	Configuration	Exit
 Check Import Data Export SimpleInventory 	 Import Product List Export DataBaseInventory 	 ○ Export Product List ○ Export SerialData List 	Start
File Type: 🗸 🗸	Seperator:	□ Need Title Combine Export	Stop
Image: Constraint of the second se	SubDirect:	Log:	
<	>		

نرم افزاراستخراج اطلاعات از دیتاکالکتور به همراه خروجی اکسل توسط کابل USB جهت استخراج اطلاعات از دیتا کالکتور کابلUSB را به کامپیوتر متصل نمائید و مراحل زیر را انجام دهید تا دستگاه با کامپیوتر متصل شود.





\$	X5 Im/Export_Tool_	ENU_V2.3.395_20131118 _	×
Device: D:60(MB)	 ✓ Enumerate 	Configuration	
 Check Import Data Export SimpleInventor 	 Import Product List Export DataBaseInventory 	Export Product List Export SerialData List	
File Type: csv	✓ Seperator: TAB ✓	✓ Need Title Combine Export Stop	
Table List:	2	Log:	
 ✓ ALL Table Amount: ✓ Table Name: ANBAR, 1 	1 Subdirecto: 006	Downloading the SerialData table list Device is connected successfully. Download was successfull. Exporting data, please wait Device is connected successfully. Table: 'ANBAR,1' successfully downloaded, the current subdirectory is: '/006' Export data is being parsed and stored Location:C:\Users\abdi\Desktop\نوم افزاد\Import\t5 soft\SerialData \20190129\V006_ANBAR,1\20190129110832.csv Records are stored successfully.	
Tap to a	dd notes		

\diamond	X5	Im/Export_Tool_EN	IU_V2.3.395_201	31118	_ 🗆 🗙
Device: D:60(N	MB) ~	Enumerate	Config	guration	xit
◯ Check Import Da	ventory O Export Da	oduct List ataBaseInventory	 Export Product Export SerialD 	t List 9ata List	Start
File Type: csv	✓ Seperator:	TAB 🗸	✓ Need Title	Combine Export	Stop
Table List:			Log:		
✓ ALL Table Am ✓ Table Name: ANBAR, 1	Nount: 1 Subdirect	rto: 006	Downloading the Device is connect Download was s Exporting data, p Device is connect Table: 'ANBAR,1 '/006' Export data is be Location:C:\User \20190129\/006_ Records are stor	e SerialData table list cted successfully. uccessful. blease wait cted successfully. ' successfully downloaded, r aing parsed and stored rs\abdi\Desktopله النوم افزار\ANBAR,1\20190129110832.or ANBAR,1\20190129110832.or	the current subdirectory is: ort\t5 soft\SerialData csv
Тар	to add notes				

Property Col Amount: 2 PropertyCc Property Col Type: FIELD V Property Col: Barcode V Property Col Name: barcode Data Type: Character V PropertyCc Property Col Type: DESCRYPT V Property Col: Speci V Property Col Name: quntiti Data Type: Character V	mport Configuration 💿 Expor	rt DI_Inventory Configuration 💿 Exp	port DB_Inventory Configuration	Export SerialData List A	: Configuration
✓ PropertyCc Property Col Type: FIELD ▼ Property Col: Barcode ▼ Property Col Name: barcode Data Type: Character ▼ ✓ PropertyCc Property Col Type: DESCRYFT ▼ Property Col: Speci ▼ Property Col Name: quntiti Data Type: Character ▼	roperty Col Amount: 2	Refresh			
▼ PropertyCc Property Col Type: DESCRYPT ▼ Property Col: Speci ▼ Property Col Name: quntiti Data Type: Character ▼	🖉 PropertyCc Property Col '	Type: FIELD - Property Col:	Barcode 🔶 Property Col	Name: barcode Da	ta Type: Character 💌
	🖉 PropertyCc Property Col 🤇	Type: DESCRYPT - Property Col:	Speci - Property Col	Name: quntiti Da	ta Type: Character 🔻
Save Exit	Save	Exit			

Configuration Setting	×
Import Configuration Export DI_Inventory Configuration Export DB_Inventory Configuration Export SerialData List Configuration	
Property Col Amount: 2 Property Col Type: Field Froperty Col: Barcode Property Col Name: Barcode Data Typ PropertyCo Property Col Type: Froperty Col: Speci Property Col Name: quntiti Data Typ 2 2 1 Interface of the second	
Save Exit	

\$	Configuration Setting ×
	O Import Configuration O Export DI_Inventory Configuration O Export DB_Inventory Configuration O Export SerialData List Configuration
	Property Col Amount: Z Refresh Image: Property Col Type: FIELD Property Col: Barcode Property Col Name: barcode Data Typ Image: Property Col Type: DESCRYPT Property Col: Speci Property Col Name: quntiti Data Typ
	Save Exit







\Leftrightarrow		X5 Im/Export_Tool_E	NU_V2.3.395_20131118 — 🗆 🗙
Device:	D:60(MB)	 ✓ Enumerate 	Configuration Exit
◯ Check Im ◯ Export Si	nport Data	 Import Product List Export DataBaseInventory 	 Export Product List Export SerialData List
File Type:	CSV Y	Seperator: TAB v	Need Title Combine Export Stop
Table List:			Log:
✓ ALL T ✓ Table Name: A	able Amount: 1 ANBAR, 1	Subdirecto: 006	Downloading the SerialData table list Device is connected successfully. Download was successful. Exporting data, please wait Device is connected successfully. Table: 'ANBAR,1' successfully downloaded, the current subdirectory is: '/006' Export data is being parsed and stored Location:C:\Users\abdi\Desktop\jiguture import\t5 soft\SerialData \20190129\/006_ANBAR,1\20190129110832.csv Records are stored successfully.
	Tap to add notes	5	

🕼 🖯 🍷 🖒 - ÷	2	0190129164819 - Excel	? 🖬 – 🗗 🗙
FILE HOME INSERT PAGE LAYOU	JT FORMULAS DATA REVIEW VIEW		Sign in 🔍
From From From Other Access Web Text Sources Connections Get External Data	Image: Connections Image: Connections Refresh All + Image: Connections Connections Image: Connections Connections Image: Connections Connections Sort Filter Image: Connections Connections Sort & Filter	Text to Flash Remove Data Consolidate What-If Rela Columns Fill Duplicates Validation • Analysis • Data Tools	tionships Outline To A
A1 ▼ : × ✓ f _x ba	arcodequntititime		~
O N M	L K J I H I I II II II II I I II II II II II I II II II II II II II I II III III III III III III III III III III III III III III IIII IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	G F E D C -	B A barcodequntitime 1 GSC08413892018/01/01 12:24:17 2 21624102280500882018/01/01 12:29:43 3 98521654122018/01/01 12:30:33 4 6 7 8 9 10 10 11 10 12 13 14 15 15 16 17 18
		Image: state stat	10 19 20 21 22 23 24 25 4 20190129164819

💵 🔒 🍤 · 👌 ·	20190129164819 - Excel		? 🗹 – 🗗 🗙
FILE HOME INSERT PAGE LAYOUT	FORMULAS DATA REVIEW VIEW		Sign in 🔎
From From From Other Access Web Text Sources Text Sources Get External Data	Image: Connections Refresh All + Properties Sort All + Sort & Filter Sort & Filter Sort & Filter	ata Consolidate What-If Relationships ation * Analysis * *	Show Detail Hide Detail Ungroup Subtotal Outline
A1 \checkmark : \times \checkmark $f_{\rm x}$ bar	odequntititime		V
A' O N M	L K J I H G F E	D С В	A
	Convert Text to Columns Wizard - Step 1 of 3 The Text Wizard has determined that your data is Delimited. If this is correct, choose Next, or choose the data type that best describes your data. Original data type Choose the file type that best describes your data: Delimited Characters such as commas or tabs separate each field. Fixed width Fields are aligned in columns with spaces between each field. Preview of selected data: 1 timequntitibarcode 2 12:24:17 2018/01/01GSC0841385 3 11:74:FFT Y:NA/-1/-INFTFI-YTA-&-AA 15 Y:TY:FFT Y:NA/-1/-INFTFI-YTA-&-AA 15 Y:TY:FFT Y:NA/-1/-INFTFI-YTA-&-AA 16 Rext > Finish	i i	equntititime 1 413892018/01/01 12:24:17 2 02280500882018/01/01 12:29:43 3 54122018/01/01 12:30:33 4 5 6 7 8 9 10 11 12 12 13 14 15 15 16 17 18 19 20 21 22 22 23 24 25

	20190129164819 - Excel	? 🗹 – 🗗 🗙
FILE HOME INSERT PAGE LAYOUT FORMULAS	DATA REVIEW VIEW	Sign in 📕
From From From From From From From From Existing Access Web Text Sources Connections All + Edit Ling Get External Data Connections Connections Connections	tions es cs cs cs cs cs cs cs cs cs cs cs cs cs	Group Ungroup Subtotal Outline
A1 \checkmark : \times \checkmark f_x barcodequntititime		v
O N M Convert Te This scree in the pre Delimite	tt to Columns Wizard - Step 2 of 3 lets you set the delimiters your data contains. You can see how your text is affected iew below. iolon Treat consecutive delimiters as one Text gualifier: (none) fr few GSC0841389 1 1 : 1 : 1 : 1 : 1 : 1 : 2 : 2 : 1 : 1 GSC0841389 1 : 1 : 1 : 1 : 1 : 1 : 2 : 2 : 1 : 1 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 2 : 2 :	A arcodequntititime 1 iSC08413892018/01/01 12:24:17 2 1624102280500882018/01/01 12:29:43 3 8521654122018/01/01 12:30:33 4 6 7 7 8 9 11 11 11 12 11 13 11 14 11 15 11 16 11 17 11 18 11 19 11 11 11 12 12 13 14 14 15 15 16 16 17 17 18 18 15 19 11 11 15 12 16 13 15 14 15 15 16 16 17 17 18 18
r		24 21 21 21 21 21

X∎	3 5 · ∂ · · → 20190129164819 - Excel															?	- 8	\times					
FILE	но	DME	INSERT	PAGE LAYOU	T FO	RMULAS	DATA	REVIEW	VIE	N												Sign ir	1 D
From	From Web	From F Text Get Exte	From Other Sources *	Existing Connections	Refresh All -	Connecti Propertie Bedit Links	ons Z	A↓ ZAZ AZ ↓ Sort	Filter	Clear Reapply Advanced	Text to Columns	Flash Fill	Remove Duplicates	Data Validation Data T	Consolidate •	What-If Analysis *	Relationships	Group	Ungroup v	Subtotal	* Show D	etail tail	~
A1		•	× ✓	<i>f</i> ∗ ba	rcodequ	ntititime																	~
						K Convert Tex This screen Column of Text Data previ Data previ General	t to Colu let you s ata forma a I MDY t import o : SAS1 ew	select each o at column (skip	d - Step 3 column an 'Gen to d b) SSC0841: Y:Y4:FV Y:Y : TY Cance	H B of 3 Ind set the Data Ineral' converts of lates, and all rest Converts of lates, and l	G Format. numeric valu maining valu Advance General quntiti 20 ack	General B/01/(T) FTF	E mbers, date t. barcoc D1 12:24:1 1. AADT 1 FAT Y Ein	/alues		C	B	barcode GSC08 216241 985216	equntitit 9413892 022805 5541220	A ime 2018/01/0 20088201 118/01/01	01 12:24:1 18/01/01 1 1 12:30:33	7 2:29:43	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25
•																		U					